



**AUTOMATIC TRANSMISSION FLUID  
RECOMMENDATIONS GUIDE**

**DEMAND  
THE  
GOOD  
STUFF  
FOR YOUR CUSTOMERS  
AND YOUR BUSINESS.**





**VersaTrans® LV ATF** is specifically engineered to help ensure long service life and to provide consistent shift performance for the life of the fluid, as well as better shift performance under extreme operating conditions. It is highly shear stable and has excellent oxidation resistance for long fluid life. It provides excellent anti-shudder performance and has excellent low-temperature properties for easier shifting in cold weather. The low-viscosity fluid results in less frictional drag (churning loss) for improved transmission efficiency, thereby offering the potential for improved fuel economy performance.

**VersaTrans®** has carefully balanced frictional properties for smooth shifting and excellent anti-shudder performance. It has high shear stability and excellent oxidation resistance for long service life. It provides excellent wear protection, helps protect against sludge and varnish formation, and has excellent low-temperature properties for easier shifting in cold weather. The part-synthetic formulation provides enhanced performance benefits at extreme temperatures compared with conventional, all-mineral transmission fluids.

**CVT Fluid** has carefully balanced frictional properties to protect against belt slippage and wear while also providing excellent anti-shudder performance. It has high shear stability and excellent oxidation resistance for long service life. It helps protect against sludge and varnish formation, and has excellent low-temperature properties for easier shifting in cold weather. The synthetic formulation provides enhanced performance benefits at extreme temperatures compared with conventional, all-mineral transmission fluids.

## AUTOMATIC TRANSMISSIONS ONLY - PASSENGER CARS & LIGHT TRUCKS

The following table lists the vehicles and different types of fluids for which VersaTrans® LV ATF, VersaTrans® ATF and CVT Fluid may or may not be used. VersaTrans® LV ATF is recommended for most 2006 and newer vehicles that require a low-viscosity fluid, as well as many older vehicles. VersaTrans® ATF is recommended for older (mostly pre-2006) vehicles designed for a higher viscosity fluid. CVT Fluid is designed for use in belt-type continuously variable transmissions (CVTs) and in select chain-driven CVTs equipped with a torque converter. OEM fluids and part numbers can be found in the Chek-Chart Lubrication Guides published by MOTOR Information Systems. Multiple listings are specific to certain models and model years and are NOT interchangeable. Please consult your owner's guide to verify the proper fluid recommendation for your vehicle.

Automaker	ATF Type	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Audi	VersaTrans LV	All <b>except:</b> A3, A3 Quattro w/ 02E, 2006-2016; TT, TT Quattro w/ 02E, 2008-2016; Models w/ CVT (01J, 0AW)  A4 Quattro <b>except w/ 0B5</b> A5 Quattro A6 Quattro A7 Quattro , S7 Quattro A8 Quattro Q5, Q7  S4 <b>except w/ 0B5</b> S5 w/ 0B6 only S6 w/ 09E only S8 SQ5	1990-2009  2010-2016 2011-2016 2010-2016 2012-2016 2010-2016 2010-2016 2010-2012 2010-2011 2013-2016 2014-2016	GM DEXRON® -II Esso LT 71141 (P/N G 052 162) JWS 3309 (P/N G 055 025) P/N G 055 005 (09E, 09L) P/N G 055 162 (09E, 09L, 0AT)  P/N G 055 540 (0C8) P/N 060 162 (09L, 0AT, 0B6, 0BK, 0BL, 0BW)	P/N G 052 171 (R-tronic) P/N G 052 180 (01J CVT) P/N G 052 182 (02E, OCG, 09D) P/N G 052 516 (0AW CVT) P/N G 052 529 (0B5)
	VersaTrans	All <b>except:</b> A3, A3 Quattro w/ 02E, 2006-2016 TT, TT Quattro w/ 02E, 2008-2016 Models w/ CVT (01J, 0AW)  A4 Quattro <b>except w/ 0B5</b> A5 Quattro A6 Quattro A7 Quattro , S7 Quattro A8 Quattro Q5, Q7  S4 <b>except w/ 0B5</b> S5 w/ 0B6 only S6 w/ 09E only S8 SQ5	1990-2009  2010-2016 2011-2016 2010-2016 2012-2016 2010-2016 2010-2016 2010-2016 2010-2012 2010-2011 2013-2016 2014-2016	GM DEXRON® -II Esso LT 71141 (P/N G 052 162) JWS 3309 (P/N G 055 025) P/N G 055 005 (09E, 09L) P/N G 055 162 (09E, 09L, 0AT)  P/N G 055 540 (0C8) P/N 060 162 (09L, 0AT, 0B6, 0BK, 0BL, 0BW)	P/N G 052 171 (R-tronic) P/N G 052 180 (01J CVT) P/N G 052 182 (02E, OCG, 09D) P/N G 052 516 (0AW CVT) P/N G 052 529 (0B5) P/N G 055 025 (02E)
	CVT Fluid	<b>NONE</b>	2002-2016		P/N G 052 180 (01J) P/N G 052 516 (0AW)
BMW	VersaTrans LV	ALL models Models w/ 5-speed GM 5L 40-E, ZF 5HP19, ZF 5HP24, ZF 5HP30 Models w/ 6-speed GA6L45R Models w/ 7-speed GA7AHSCD	1990-2000 2001-2007 2001-2005  2007-2013 2010-2011	GM DEXRON® -II, III, -VI Esso LT 71141 Shell LA2634 Texaco ETL 7045/7045E Texaco ETL 8072B	P/N 83222163514 Shell ATF M-1375.4 Shell ATF M-L12108
	VersaTrans	ALL models Models w/ 5-speed GM 5L40-E, ZF 5HP19, ZF 5HP24, ZF 5HP30	1990-1999 2000-2006	GM DEXRON® -II, -III Esso LT 71141 Shell LA2634 Texaco ETL 7045E Texaco ETL 8072B	GM DEXRON® -VI P/N 83222163514 Shell ATF M-1375.4 Shell ATF M-L12108

Automaker	ATF Type	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Chevrolet	VersaTrans LV	All <b>except: Spark CVT, 2013-2014</b>	1990-2016	GM DEXRON® -III, -VI AC Delco AW-1 AC-Delco T-IV	AC Delco CVT Fluid GM DEXRON® HP ATF
	VersaTrans	All Models Aveo Aveo5 Spark w/ AW80-40LE	1990-2005 2004-2011 2007-2011 2013-2016	GM DEXRON® -III AC Delco AW-1 AC-Delco T-IV	GM DEXRON® -VI GM DEXRON® HP ATF
	CVT Fluid	Spark ( <b>not EV</b> )	2013-2016	AC Delco CVT Fluid	
Ford	VersaTrans LV	C-Max Crown Victoria Edge Five Hundred w/ 6-speed F21 Flex Focus Fusion w/ 6-speed Fusion Hybrid w/ eCVT, HFE Mustang w/ T56 Mustang Taurus	2013-2014 2009-2011 2010-2016 2005-2007 2010-2016 2000-2011 2006-2016 2013-2016 2003-2004 2011-2016 2010-2016	Ford MERCON® LV GM DEXRON® -III ATF Type T-IV (JWS 3309)	Ford ATF Type F (P/N XT-1-QF) Ford CVT Fluid (P/N XT- 7-QCFT) Ford Dual Clutch Trans- mission Fluid (XT-11-QDC) Ford FNR5 ATF (XT-9- QMM5) Ford MERCON® SP (XT- 6-QSP) Ford MERCON® V (XT- 5-QSM) Ford Synthetic MER- CON® (XT-2-QSM)
	VersaTrans	All <b>except:</b> Focus, 2000-2014 Models w/CVT, 2005-2007 Models requiring ATF Type F  Flex, Fusion, Taurus Mustang	1990-2008  2009 2009-2010	Ford MERCON® Ford MERCON® V Ford FNR5 ATF ATF Type T-IV (JWS 3309)	Ford ATF Type F (P/N XT-1-QF) Ford CVT Fluid (P/N XT- 7-QCFT) Ford Dual Clutch Trans- mission Fluid (XT-11-QDC) Ford MERCON® LV (XT- 10-QLV) Ford MERCON® SP (XT- 6-QSP) Ford Synthetic MER- CON® (XT-2-QSM)
	CVT Fluid	<b>NONE</b>	2005-2007		Ford CV Chain Type Fluid (P/N XT-7-QCFT)
Honda	VersaTrans LV	All <b>except:</b> Models w/ CVT	1990-2016	GM DEXRON® -II, III Honda ATF DW-1 Honda ATF-Z1	Honda Genuine CVT Fluid
	VersaTrans	All <b>except:</b> Models w/ CVT	1990-2016	GM DEXRON® -II, III Honda ATF DW-1 Honda ATF-Z1	Honda Genuine CVT Fluid
	CVT Fluid	Accord Civic CR-V CR-Z Fit Insight	2013-2016 1996-2016 2016 2011-2016 2016 2000-2006 2010-14	Honda Genuine CVT Fluid Honda CVT Fluid HCF-2 Honda HMMF I (without starting clutch)	

Automaker	ATF Type	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Hyundai	VersaTrans LV	All except: Equus, 2011-2016; Genesis Coupe, 2010-2016; Genesis Sedan, 2009-2016; Veloster w/ dual clutch, 2012-2016	1990-2016	Apolloil ATF Red-1K Hyundai SP-III, SP-IV ATF ATF Type T-IV (JWS 3309) ATF Type WS (NWS-9638) Hyundai SP-IV M Hyundai SP-IV RR ATF Type WS (JWS 3314)	Hyundai SP-IV-RR Shell ATF M-1375.4
	VersaTrans	All except: Equus 2011-2016; Genesis Coupe, 2010-2016; Genesis Sedan, 2009-2016; Veloster w/ dual clutch, 2012-2016	1990-2016	Apolloil ATF Red-1K Hyundai SP-III, SP-IV ATF ATF Type T-IV (JWS 3309)	Hyundai SP-IV-RR Shell ATF M-1375.4 ATF Type WS (NWS-9638)
Isuzu	VersaTrans LV	ALL	1990-2008	GM DEXRON® -III, -VI Honda ATF-Z1 Isuzu Genuine ATF	
	VersaTrans	ALL	1981-2005	GM DEXRON® -III Honda ATF-Z1 Isuzu Genuine ATF	GM DEXRON®-VI
Kia	VersaTrans LV	All except: Borrego w/ 4.6L engine, 2009; K900, 2016; Soul EV, 2016	1994-2016	GM DEXRON® -III Apolloil ATF Red-1K Diamond SP-III, SP-IV ATF Diamond SP-IV M Diamond SP-IV RR	Hyundai SP-IV-RR Shell ATF M-1375.4
	VersaTrans	All except: Borrego w/ 4.6L engine, 2009; K900, 2016; Soul EV, 2016	1994-2016	GM DEXRON® -III Apolloil ATF Red -1K Diamond SP-III, SP-IV ATF	Hyundai SP-IV-RR Shell ATF M-1375.4
Mazda	VersaTrans LV	626 w/ 2.5L V6 engine CX-7 w/ 6-speed CX-9 w/ 6-speed Mazda6 w/ 6-speed Miata Millenia MPV MX-3 MX-6 w/ 2.5L V6 engine Protégé RX8 Serenia Tribute w/ 6F35	1996-2002 2007-2012 2007-2014 2005-2013 1995-2016 1995-2002 1996-2006 1995 1996-1997 1996-2002 2004-2011 1995 2009-2011	GM DEXRON® -III Ford MERCON® LV ATF Type T-IV (JWS 3309) Mazda ATF M-V Mazda ATF FZ	
	VersaTrans	All except: CX-5, 2013-2016; Mazda3 w/ 6-speed, 2013- 2016; Mazda6 w/ 6-speed, 2014- 2016; Tribute w/ 6-speed 6F35,2009- 2011	1990-2016	GM DEXRON® -III Ford MERCON® Ford MERCON® V Mazda ATF M-V ATF Type T-IV (JWS 3309)	Mazda ATF FZ Ford MERCON® LV
Mitsubishi	VersaTrans LV	All except: Outlander, 2007-2016; Models w/ CVT or Dual Clutch	1990-2012	GM DEXRON® -II, -III, -VI DIA Queen ATF-J2 Mitsubishi Diamond SP-III ATF Mopar® ATF +3®, ATF+4®	CVT Fluid CVTF-J1 DIA Queen ATF-J3 DIA Queen SSTF-1 Diamond Queen CVTF-J4
	VersaTrans	All except: Outlander, 2007-2016; Models w/ CVT or Dual Clutch	1990-2012	GM DEXRON® -II, -III, Mitsubishi Diamond SP-III ATF Mopar® ATF +3®, ATF+4®	CVT Fluid CVTF-J1 DIA Queen ATF-J2, ATF-J3 DIA Queen SSTF-1 Diamond Queen CVTF-J4

Automaker	ATF Type	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Mitsubishi	CVT Fluid	Lancer (Not Dual Clutch) Mirage Outlander Outlander Sport	2008-2014 2014-2016 2007-2016 2012-2016	CVTF-J1 Diamond Queen CVTF-J4 Diamond Queen CVTF-J4+ Dia Queen SP-III (CVT Only)	DIA Queen SSTF-1
Nissan	VersaTrans LV	All except: GT-R, 2009-2016; Models w/ CVT	1990-2016	GM DEXRON® -III Nissan Matic D Nissan Matic J Nissan Matic K Nissan Matic S Nissan Matic Fluid C	Nissan CVT Fluid NS-2, NS-3 Nissan Matic W ATF Nissan Trans. Oil R35 Special
	VersaTrans	All except: Altima Hybrid, 2007-2012; GT-R, 2009-2016; Models w/ CVT	1990-2016	GM DEXRON® -III Nissan Matic D Nissan Matic J Nissan Matic K Nissan Matic S Nissan Matic Fluid C	Nissan CVT Fluid NS-2, NS-3 Nissan Matic W ATF Nissan Trans. Oil R35 Special
	CVT Fluid	All CVT models except: Altima Hybrid, 2007-2012	2003-2014	Nissan CVT Fluid NS-2 Nissan CVT Fluid NS-3 Nissan CVT Fluid NS-1	Nissan KTF-1 Nissan Matic W (Hybrid)
Subaru	VersaTrans LV	All except: Models w/ CVT	1990-2016	GM DEXRON® -III Subaru ATF (Idemitsu ATF HP)	Subaru CVTF
	VersaTrans	All except: BRZ, 2013-2016; Models w/ CVT	1990-2016	GM DEXRON® -III Subaru ATF (Idemitsu ATF HP)	Subaru CVTF Toyota Gen. ATF WS (JWS 3324)
	CVT Fluid	All CVT models	1990-2016	Subaru High Torque CVT Fluid (P/N K0421Y0700) Subaru Lineartronic CVTF (P/N K0425Y0710) Subaru iCVT, Subaru iCVT FG, and Subaru eCVT	



Automaker	ATF Type	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Suzuki	VersaTrans LV	All except: Models w/ CVT	1990-2013	GM DEXRON® -III, -VI Esso LT 71141 Nissan Matic S ATF Type T-IV (JWS 3309)	Shell Green-1 V Suzuki CVT Fluid Green 1
	VersaTrans	All except: XL7 w/ 6T70/6T75, 2009; Models w/ CVT	1990-2013	GM DEXRON® -III Esso LT 71141 Nissan Matic S ATF Type T-IV (JWS 3309)	GM DEXRON® -VI Shell Green- 1 V Suzuki CVT Fluid Green 1
	CVT Fluid	Kizashi SX4	2010-2013 2010-2013	Suzuki CVT Fluid Green 1 Shell Green-1V	
Toyota	VersaTrans LV	All except: Corolla w/ CVT, 2014	1990-2014	ATF Type T-IV (JWS 3309)	Toyota Gen. CVT Fluid Type FE
	VersaTrans	All except: 4-Runner w/ 5-speed, 2004- 2005; Avalon, 2005; Land Cruiser, 2004-2005; Prius, 2004-2005; Sequoia, 2005; Tacoma w/ 4.0L, 2005; Tundra, 2005  Camry Corolla Highlander, non-hybrid Matrix Sienna Solara	1984-2005     2006 2006-2008 2006-2007 2006-2008 2006 2006	GM DEXRON® -II, III ATF Type T ATF Type T-IV (JWS 3309) ATF Type T-III	Toyota Gen. ATF WS (JWS 3324) GM DEXRON® -VI
	CVT Fluid	Corolla	2014	Toyota Gen. CVT Fluid Type FE	Toyota Gen. ATF WS (JWS 3324)



ALL ABOUT  
THE GOOD  
STUFF



VISIT US ONLINE AT  
[KENDALLTT.COM](http://KENDALLTT.COM)



LIKE US ON FACEBOOK  
[KENDALLTT](https://www.facebook.com/KENDALLTT)

**FOR INFO CALL: 222-7920 / 640-4791**



*We Measure Our Service!*